



TYPE 1 SCREW COVER BOXES

CONSTRUCTION:




C & I ENCLOSURES TYPE 1 SCREW COVER BOXES ARE FABRICATED IN ACCORDANCE WITH U.L. SPECIFICATIONS FROM CODE GAUGE STEEL. BOXES ARE FURNISHED STANDARD WITHOUT KNOCKOUTS TO ALLOW THE USER TO PUNCH HOLES ONLY WHERE NEEDED. KNOCKOUTS ARE AVAILABLE UPON REQUEST.

FINISH:


AVAILABLE IN G90-U GALVANIZED STEEL OR AN ANSI 61 GRAY POLYESTER POWDERCOATING INSIDE AND OUT OVER PAINT GRIP GALVANIZED STEEL.



* BOXES WITH H=6 OR LESS HAVE 2 SLOTS ONLY CENTERED ON HEIGHT



COVER STYLE "CS1"



COVER STYLE "CS2"

DRAWING NOT TO SCALE
SOME FEATURES
EXAGGERATED FOR CLARITY



913 Industrial Park Cir.
Bessemer, AL 35022
PHONE: 205.424.4855
FAX: 205.424.4858
www.cienlosures.com



TYPE 1 SCREW COVER BOXES

Part No	Box Dimensions					Mat'l Gauge	Mounting					Cover														Screw Size		
							Dia	Location				Cover Style	Height	Width	Holes													
	H	W	D	HO	WO			MD	MH	MHS	MW				MWS	CH	CW	HH	HHS	HHC	HW1	HWS	HW	HW2	HH2		CD	CS
C-444SC	4.00	4.00	4.00	2.75	2.75	16	0.28	1.00	2.00	1.00	2.00	CS1	3.88	3.88	1.44	1.00	1.94	0.31	3.26	---	---	3.26	---	10-32				
C-644SC	6.00	4.00	4.00	4.75	2.75	16	0.28	1.00	4.00	1.00	2.00	CS1	5.88	3.88	1.44	3.00	2.94	0.31	3.26	---	---	5.26	---	10-32				
C-664SC	6.00	6.00	4.00	4.75	4.75	16	0.28	1.00	4.00	1.00	4.00	CS1	5.88	5.88	1.44	3.00	2.94	0.31	5.26	---	---	5.26	---	10-32				
C-864SC	8.00	6.00	4.00	6.75	4.75	16	0.28	1.00	6.00	1.00	4.00	CS1	7.88	5.88	1.44	5.00	---	0.31	5.26	---	---	7.26	---	10-32				
C-884SC	8.00	8.00	4.00	6.75	6.75	16	0.28	1.00	6.00	1.00	6.00	CS1	7.88	7.88	1.44	5.00	---	0.31	7.26	---	---	7.26	---	10-32				
C-1064SC	10.00	6.00	4.00	8.75	4.75	16	0.28	1.00	8.00	1.00	4.00	CS1	9.88	5.88	1.44	7.00	---	0.31	5.26	---	---	9.26	---	10-32				
C-1084SC	10.00	8.00	4.00	8.75	6.75	16	0.28	1.00	8.00	1.00	6.00	CS1	9.88	7.88	1.44	7.00	---	0.31	7.26	---	---	9.26	---	10-32				
C-10104SC	10.00	10.00	4.00	8.75	8.75	16	0.28	1.00	8.00	1.00	8.00	CS1	9.88	9.88	1.44	7.00	---	0.31	9.26	---	---	9.26	---	10-32				
C-1264SC	12.00	6.00	4.00	10.75	4.75	16	0.28	1.00	10.00	1.00	4.00	CS1	11.88	5.88	1.44	9.00	---	0.31	5.26	---	---	11.26	---	10-32				
C-1284SC	12.00	8.00	4.00	10.75	6.75	16	0.28	1.00	10.00	1.00	6.00	CS1	11.88	7.88	1.44	9.00	---	0.31	7.26	---	---	11.26	---	10-32				
C-12104SC	12.00	10.00	4.00	10.75	8.75	16	0.28	1.00	10.00	1.00	8.00	CS1	11.88	9.88	1.44	9.00	---	0.31	9.26	---	---	11.26	---	10-32				
C-12124SC	12.00	12.00	4.00	10.75	10.75	16	0.28	1.00	10.00	1.00	10.00	CS1	11.88	11.88	1.44	9.00	---	0.31	11.26	---	---	11.26	---	10-32				
C-18124SC	18.00	12.00	4.00	16.75	10.75	16	0.28	1.00	16.00	1.00	10.00	CS1	17.88	11.88	1.44	15.00	---	0.31	11.26	---	---	17.26	---	10-32				
C-18154SC	18.00	15.00	4.00	16.75	13.75	16	0.28	1.00	16.00	1.00	13.00	CS1	17.88	14.88	1.44	15.00	---	0.31	14.26	---	---	17.26	---	10-32				
C-18184SC	18.00	18.00	4.00	16.75	16.75	16	0.28	1.00	16.00	1.00	16.00	CS1	17.88	17.88	1.44	15.00	---	0.31	17.26	---	---	17.26	---	10-32				
C-24124SC	24.00	12.00	4.00	22.75	10.75	16	0.28	1.00	22.00	1.00	10.00	CS1	23.88	11.88	1.44	21.00	---	0.31	11.26	---	---	23.26	---	10-32				
C-24184SC	24.00	18.00	4.00	22.75	16.75	16	0.28	1.00	22.00	1.00	16.00	CS1	23.88	17.88	1.44	21.00	---	0.31	17.26	---	---	23.26	---	10-32				
C-24244SC	24.00	24.00	4.00	22.75	22.75	14	0.28	1.00	22.00	1.00	22.00	CS1	23.88	23.88	1.44	21.00	---	0.31	23.26	---	---	23.26	---	10-32				
C-30244SC	30.00	24.00	4.00	28.75	22.75	14	0.28	1.00	28.00	1.00	22.00	CS1	29.88	23.88	2.94	24.00	---	0.31	23.26	---	---	29.26	---	10-32				
C-36244SC	36.00	24.00	4.00	34.75	22.75	14	0.28	1.00	34.00	1.00	22.00	CS1	35.88	23.88	5.94	24.00	---	0.31	23.26	---	---	35.26	---	10-32				
C-666SC	6.00	6.00	6.00	4.75	4.75	16	0.28	1.00	4.00	1.00	4.00	CS1	5.88	5.88	1.44	3.00	2.94	0.31	5.26	---	---	5.26	---	10-32				
C-866SC	8.00	6.00	6.00	6.75	4.75	16	0.28	1.00	6.00	1.00	4.00	CS1	7.88	5.88	1.44	5.00	---	0.31	5.26	---	---	7.26	---	10-32				
C-886SC	8.00	8.00	6.00	6.75	6.75	16	0.28	1.00	6.00	1.00	6.00	CS1	7.88	7.88	1.44	5.00	---	0.31	7.26	---	---	7.26	---	10-32				
C-1086SC	10.00	8.00	6.00	8.75	6.75	16	0.28	1.00	8.00	1.00	6.00	CS1	9.88	7.88	1.44	7.00	---	0.31	7.26	---	---	9.26	---	10-32				
C-10106SC	10.00	10.00	6.00	8.75	8.75	16	0.28	1.00	8.00	1.00	8.00	CS1	9.88	9.88	1.44	7.00	---	0.31	9.26	---	---	9.26	---	10-32				
C-1286SC	12.00	8.00	6.00	10.75	6.75	16	0.28	1.00	10.00	1.00	6.00	CS1	11.88	7.88	1.44	9.00	---	0.31	7.26	---	---	11.26	---	10-32				
C-12106SC	12.00	10.00	6.00	10.75	8.75	16	0.28	1.00	10.00	1.00	8.00	CS1	11.88	9.88	1.44	9.00	---	0.31	9.26	---	---	11.26	---	10-32				
C-12126SC	12.00	12.00	6.00	10.75	10.75	16	0.28	1.00	10.00	1.00	10.00	CS1	11.88	11.88	1.44	9.00	---	0.31	11.26	---	---	11.26	---	10-32				
C-18126SC	18.00	12.00	6.00	16.75	10.75	16	0.28	1.00	16.00	1.00	10.00	CS1	17.88	11.88	1.44	15.00	---	0.31	11.26	---	---	17.26	---	10-32				
C-18156SC	18.00	15.00	6.00	16.75	13.75	16	0.28	1.00	16.00	1.00	13.00	CS1	17.88	14.88	1.44	15.00	---	0.31	14.26	---	---	17.26	---	10-32				
C-18186SC	18.00	18.00	6.00	16.75	16.75	16	0.28	1.00	16.00	1.00	16.00	CS1	17.88	17.88	1.44	15.00	---	0.31	17.26	---	---	17.26	---	10-32				
C-24126SC	24.00	12.00	6.00	22.75	10.75	16	0.28	1.00	22.00	1.00	10.00	CS1	23.88	11.88	1.44	21.00	---	0.31	11.26	---	---	23.26	---	10-32				
C-24186SC	24.00	18.00	6.00	22.75	16.75	16	0.28	1.00	22.00	1.00	16.00	CS1	23.88	17.88	1.44	21.00	---	0.31	17.26	---	---	23.26	---	10-32				
C-24246SC	24.00	24.00	6.00	22.75	22.75	14	0.28	1.00	22.00	1.00	22.00	CS1	23.88	23.88	1.44	21.00	---	0.31	23.26	---	---	23.26	---	10-32				
C-30246SC	30.00	24.00	6.00	28.75	22.75	14	0.28	1.00	28.00	1.00	22.00	CS1	29.88	23.88	2.94	24.00	---	0.31	23.26	---	---	29.26	---	10-32				



TYPE 1 SCREW COVER BOXES

Part No	Box Dimensions					Mat'l Gauge	Mounting					Cover																
							Dia	Location				Cover Style	Height	Width	Holes										Screw Size			
C-30306SC	30.00	30.00	6.00	28.75	28.75	14	0.28	1.00	28.00	1.00	28.00	CS2	29.88	29.88	2.94	24.00	---	0.31	29.26	2.94	24.00	29.26	0.25	10-32				
C-36246SC	36.00	24.00	6.00	34.75	22.75	14	0.28	1.00	34.00	1.00	22.00	CS1	35.88	23.88	5.94	24.00	---	0.31	23.26	---	---	35.26	---	10-32				
C-36306SC	36.00	30.00	6.00	34.75	28.75	14	0.28	1.00	34.00	1.00	28.00	CS2	35.88	29.88	5.94	24.00	---	0.31	29.26	2.94	24.00	35.26	0.25	10-32				
C-36366SC	36.00	36.00	6.00	34.50	34.50	12	0.44	1.50	33.00	1.50	33.00	CS2	35.88	35.88	5.94	24.00	---	0.31	35.26	5.94	24.00	35.26	0.31	1/4-20				
C-48246SC	48.00	24.00	6.00	46.75	22.75	14	0.28	1.00	46.00	1.00	22.00	CS1	47.88	23.88	1.44	45.00	23.94	0.31	23.26	---	---	47.26	---	10-32				
C-48366SC	48.00	36.00	6.00	46.50	34.50	12	0.44	1.50	45.00	1.50	33.00	CS2	47.88	35.88	1.44	45.00	23.94	0.31	35.26	5.94	24.00	47.26	0.31	1/4-20				
C-48486SC	48.00	48.00	6.00	46.50	46.50	12	0.44	1.50	45.00	1.50	45.00	CS2	47.88	47.88	1.44	45.00	23.94	0.31	47.26	1.44	45.00	47.26	0.31	1/4-20				
C-888SC	8.00	8.00	8.00	6.75	6.75	16	0.28	1.00	6.00	1.00	6.00	CS1	7.88	7.88	1.44	5.00	---	0.31	7.26	---	---	7.26	---	10-32				
C-10108SC	10.00	10.00	8.00	8.75	8.75	16	0.28	1.00	8.00	1.00	8.00	CS1	9.88	9.88	1.44	7.00	---	0.31	9.26	---	---	9.26	---	10-32				
C-12128SC	12.00	12.00	8.00	10.75	10.75	16	0.28	1.00	10.00	1.00	10.00	CS1	11.88	11.88	1.44	9.00	---	0.31	11.26	---	---	11.26	---	10-32				
C-18128SC	18.00	12.00	8.00	16.75	10.75	16	0.28	1.00	16.00	1.00	10.00	CS1	17.88	11.88	1.44	15.00	---	0.31	11.26	---	---	17.26	---	10-32				
C-18158SC	18.00	15.00	8.00	16.75	13.75	16	0.28	1.00	16.00	1.00	13.00	CS1	17.88	14.88	1.44	15.00	---	0.31	14.26	---	---	17.26	---	10-32				
C-18188SC	18.00	18.00	8.00	16.75	16.75	16	0.28	1.00	16.00	1.00	16.00	CS1	17.88	17.88	1.44	15.00	---	0.31	17.26	---	---	17.26	---	10-32				
C-24128SC	24.00	12.00	8.00	22.75	10.75	16	0.28	1.00	22.00	1.00	10.00	CS1	23.88	11.88	1.44	21.00	---	0.31	11.26	---	---	23.26	---	10-32				
C-24188SC	24.00	18.00	8.00	22.75	16.75	16	0.28	1.00	22.00	1.00	16.00	CS1	23.88	17.88	1.44	21.00	---	0.31	17.26	---	---	23.26	---	10-32				
C-24248SC	24.00	24.00	8.00	22.75	22.75	14	0.28	1.00	22.00	1.00	22.00	CS1	23.88	23.88	1.44	21.00	---	0.31	23.26	---	---	23.26	---	10-32				
C-30248SC	30.00	24.00	8.00	28.75	22.75	14	0.28	1.00	28.00	1.00	22.00	CS1	29.88	23.88	2.94	24.00	---	0.31	23.26	---	---	29.26	---	10-32				
C-30308SC	30.00	30.00	8.00	28.75	28.75	14	0.28	1.00	28.00	1.00	28.00	CS2	29.88	29.88	2.94	24.00	---	0.31	29.26	2.94	24.00	29.26	0.25	10-32				
C-36248SC	36.00	24.00	8.00	34.75	22.75	14	0.28	1.00	34.00	1.00	22.00	CS1	35.88	23.88	5.94	24.00	---	0.31	23.26	---	---	35.26	---	10-32				
C-36308SC	36.00	30.00	8.00	34.75	28.75	14	0.28	1.00	34.00	1.00	28.00	CS2	35.88	29.88	5.94	24.00	---	0.31	29.26	2.94	24.00	35.26	0.25	10-32				
C-36368SC	36.00	36.00	8.00	34.50	34.50	12	0.44	1.50	33.00	1.50	33.00	CS2	35.88	35.88	5.94	24.00	---	0.31	35.26	5.94	24.00	35.26	0.31	1/4-20				
C-48248SC	48.00	24.00	8.00	46.75	22.75	14	0.28	1.00	46.00	1.00	22.00	CS1	47.88	23.88	1.44	45.00	23.94	0.31	23.26	---	---	47.26	---	10-32				
C-48368SC	48.00	36.00	8.00	46.50	34.50	12	0.44	1.50	45.00	1.50	33.00	CS2	47.88	35.88	1.44	45.00	23.94	0.31	35.26	5.94	24.00	47.26	0.31	1/4-20				
C-48488SC	48.00	48.00	8.00	46.50	46.50	12	0.44	1.50	45.00	1.50	45.00	CS2	47.88	47.88	1.44	45.00	23.94	0.31	47.26	1.44	45.00	47.26	0.31	1/4-20				
C-121210SC	12.00	12.00	10.00	10.75	10.75	16	0.28	1.00	10.00	1.00	10.00	CS1	11.88	11.88	1.44	9.00	---	0.31	11.26	---	---	11.26	---	10-32				
C-181210SC	18.00	12.00	10.00	16.75	10.75	16	0.28	1.00	16.00	1.00	10.00	CS1	17.88	11.88	1.44	15.00	---	0.31	11.26	---	---	17.26	---	10-32				
C-181810SC	18.00	18.00	10.00	16.75	16.75	16	0.28	1.00	16.00	1.00	16.00	CS1	17.88	17.88	1.44	15.00	---	0.31	17.26	---	---	17.26	---	10-32				
C-241810SC	24.00	18.00	10.00	22.75	16.75	16	0.28	1.00	22.00	1.00	16.00	CS1	23.88	17.88	1.44	21.00	---	0.31	17.26	---	---	23.26	---	10-32				
C-242410SC	24.00	24.00	10.00	22.75	22.75	14	0.28	1.00	22.00	1.00	22.00	CS1	23.88	23.88	1.44	21.00	---	0.31	23.26	---	---	23.26	---	10-32				
C-302410SC	30.00	24.00	10.00	28.75	22.75	14	0.28	1.00	28.00	1.00	22.00	CS1	29.88	23.88	2.94	24.00	---	0.31	23.26	---	---	29.26	---	10-32				
C-303010SC	30.00	30.00	10.00	28.75	28.75	14	0.28	1.00	28.00	1.00	28.00	CS2	29.88	29.88	2.94	24.00	---	0.31	29.26	2.94	24.00	29.26	0.25	10-32				
C-362410SC	36.00	24.00	10.00	34.75	22.75	14	0.28	1.00	34.00	1.00	22.00	CS1	35.88	23.88	5.94	24.00	---	0.31	23.26	---	---	35.26	---	10-32				
C-363010SC	36.00	30.00	10.00	34.75	28.75	14	0.28	1.00	34.00	1.00	28.00	CS2	35.88	29.88	5.94	24.00	---	0.31	29.26	2.94	24.00	35.26	0.25	10-32				
C-363610SC	36.00	36.00	10.00	34.50	34.50	12	0.44	1.50	33.00	1.50	33.00	CS2	35.88	35.88	5.94	24.00	---	0.31	35.26	5.94	24.00	35.26	0.31	1/4-20				
C-483610SC	48.00	36.00	10.00	46.50	34.50	12	0.44	1.50	45.00	1.50	33.00	CS2	47.88	35.88	1.44	45.00	23.94	0.31	35.26	5.94	24.00	47.26	0.31	1/4-20				



TYPE 1 SCREW COVER BOXES

Part No	Box Dimensions					Mat'l Gauge	Mounting					Cover													Screw Size	
							Dia	Location				Cover Style	Height	Width	Holes											
	H	W	D	HO	WO			MD	MH	MHS	MW				MWS	CH	CW	HH	HHS	HHC	HW1	HWS	HW	HW2		HH2
C-484810SC	48.00	48.00	10.00	46.50	46.50	12	0.44	1.50	45.00	1.50	45.00	CS2	47.88	47.88	1.44	45.00	23.94	0.31	47.26	1.44	45.00	47.26	0.31	1/4-20		
C-121212SC	12.00	12.00	12.00	10.75	10.75	16	0.28	1.00	10.00	1.00	10.00	CS1	11.88	11.88	1.44	9.00	---	0.31	11.26	---	---	11.26	---	10-32		
C-181212SC	18.00	12.00	12.00	16.75	10.75	16	0.28	1.00	16.00	1.00	10.00	CS1	17.88	11.88	1.44	15.00	---	0.31	11.26	---	---	17.26	---	10-32		
C-181812SC	18.00	18.00	12.00	16.75	16.75	16	0.28	1.00	16.00	1.00	16.00	CS1	17.88	17.88	1.44	15.00	---	0.31	17.26	---	---	17.26	---	10-32		
C-241212SC	24.00	12.00	12.00	22.75	10.75	16	0.28	1.00	22.00	1.00	10.00	CS1	23.88	11.88	1.44	21.00	---	0.31	11.26	---	---	23.26	---	10-32		
C-241812SC	24.00	18.00	12.00	22.75	16.75	16	0.28	1.00	22.00	1.00	16.00	CS1	23.88	17.88	1.44	21.00	---	0.31	17.26	---	---	23.26	---	10-32		
C-242412SC	24.00	24.00	12.00	22.75	22.75	14	0.28	1.00	22.00	1.00	22.00	CS1	23.88	23.88	1.44	21.00	---	0.31	23.26	---	---	23.26	---	10-32		
C-303012SC	30.00	30.00	12.00	28.75	28.75	14	0.28	1.00	28.00	1.00	28.00	CS2	29.88	29.88	2.94	24.00	---	0.31	29.26	2.94	24.00	29.26	0.25	10-32		
C-362412SC	36.00	24.00	12.00	34.75	22.75	14	0.28	1.00	34.00	1.00	22.00	CS1	35.88	23.88	5.94	24.00	---	0.31	23.26	---	---	35.26	---	10-32		
C-363612SC	36.00	36.00	12.00	34.50	34.50	12	0.44	1.50	33.00	1.50	33.00	CS2	35.88	35.88	5.94	24.00	---	0.31	35.26	5.94	24.00	35.26	0.31	1/4-20		
C-483612SC	48.00	36.00	12.00	46.50	34.50	12	0.44	1.50	45.00	1.50	33.00	CS2	47.88	35.88	1.44	45.00	23.94	0.31	35.26	5.94	24.00	47.26	0.31	1/4-20		
C-484812SC	48.00	48.00	12.00	46.50	46.50	12	0.44	1.50	45.00	1.50	45.00	CS2	47.88	47.88	1.44	45.00	23.94	0.31	47.26	1.44	45.00	47.26	0.31	1/4-20		