


TYPE T1 PAINTED HINGED ENCLOSURES


CONSTRUCTION:

C & I ENCLOSURES TYPE 1 PAINTED HINGED ENCLOSURES ARE FABRICATED IN ACCORDANCE WITH U.L. SPECIFICATIONS FROM CODE GAUGE STEEL. THE ENCLOSURES ARE PROVIDED WITH BUTT HINGES AND A DOOR LATCH TO HOLD THE DOOR SECURELY CLOSED. THE ENCLOSURES ARE FURNISHED WITH A REMOVABLE PAINTED BACK PANEL.




C & I ENCLOSURES TYPE 1 PAINTED HINGED ENCLOSURES ARE PROVIDED WITH AN ANSI 61 GRAY POLYESTER POWDERCOATING INSIDE AND OUT OVER PAINT GRIP GALVANIZED STEEL.



SECTION A-A



1 SINGLE CONTINUOUS HINGE FOR H<12



BACK PANEL

DRAWING NOT TO SCALE
SOME FEATURES
EXAGGERATED FOR CLARITY

BODY STYLE: SM




913 Industrial Park Cir.
Bessemer, AL 35022
PHONE: 205.424.4855
FAX: 205.424.4858
www.cienlosures.com

TYPE T1 PAINTED HINGED ENCLOSURES

CONSTRUCTION:

C & I ENCLOSURES TYPE 1 PAINTED HINGED ENCLOSURES ARE FABRICATED IN ACCORDANCE WITH U.L. SPECIFICATIONS FROM CODE GAUGE STEEL. THE ENCLOSURES ARE PROVIDED WITH BUTT HINGES AND A DOOR LATCH TO HOLD THE DOOR SECURELY CLOSED. THE ENCLOSURES ARE FURNISHED WITH A REMOVABLE PAINTED BACK PANEL.

C & I ENCLOSURES TYPE 1 PAINTED HINGED ENCLOSURES ARE PROVIDED WITH AN ANSI 61 GRAY POLYESTER POWDERCOATING INSIDE AND OUT OVER PAINT GRIP GALVANIZED STEEL.





TYPE 1 PAINTED HINGED ENCLOSURES

Part No	Box Dimensions								Mounting					Door		Panel		
									Dia	Location				Height	Width	Height	Width	Panel Mat'l Gauge
						H	W	D		HO	WO	Bdy Style	Bdy & Door Stiff					
C-1086T1	10.00	8.00	6.63	8.75	6.75	SM	N	16	0.28	1.50	7.00	0.50	7.00	10.37	8.30	8.25	6.25	14
C-10106T1	10.00	10.00	6.63	8.75	8.75	SM	N	16	0.28	1.50	7.00	0.50	9.00	10.37	10.30	8.25	8.25	14
C-12106T1	12.00	10.00	6.63	10.75	8.75	SM	N	16	0.28	1.50	9.00	0.50	9.00	12.37	10.30	10.25	8.25	14
C-12126T1	12.00	12.00	6.63	10.75	10.75	SM	N	16	0.28	1.50	9.00	0.50	11.00	12.37	12.30	10.25	10.25	14
C-14126T1	14.00	12.00	6.63	12.75	10.75	SM	N	16	0.28	1.50	11.00	0.50	11.00	14.37	12.30	12.25	10.25	14
C-16126T1	16.00	12.00	6.63	14.75	10.75	LG	N	16	0.28	1.06	13.88	2.50	7.00	16.37	12.30	13	10.5	14
C-16166T1	16.00	16.00	6.63	14.75	14.75	LG	N	16	0.28	1.06	13.88	2.50	11.00	16.37	16.30	13	14.5	14
C-20166T1	20.00	16.00	6.63	18.75	14.75	LG	N	16	0.28	1.06	17.88	2.50	11.00	20.37	16.30	17	14.5	14
C-20206T1	20.00	20.00	6.63	18.75	18.75	LG	N	16	0.28	1.06	17.88	2.50	15.00	20.37	20.30	17	18.5	14
C-24166T1	24.00	16.00	6.63	22.75	14.75	LG	N	16	0.28	1.06	21.88	2.50	11.00	24.37	16.30	21	14.5	12
C-24206T1	24.00	20.00	6.63	22.75	18.75	LG	N	16	0.28	1.06	21.88	2.50	15.00	24.37	20.30	21	18.5	12
C-24246T1	24.00	24.00	6.63	22.75	22.75	LG	N	14	0.28	1.06	21.88	2.50	19.00	24.40	24.33	21	22.5	12
C-30246T1	30.00	24.00	6.63	28.75	22.75	LG	N	14	0.28	1.25	27.50	3.62	16.76	30.40	24.33	26	22.5	12
C-36246T1	36.00	24.00	6.63	34.75	22.75	LG	N	14	0.28	1.25	33.50	3.62	16.76	36.40	24.33	32	22.5	12
C-36306T1	36.00	30.00	6.63	34.75	28.75	LG	N	14	0.28	1.25	33.50	3.62	22.76	36.40	30.33	32	28.5	12
C-12128T1	12.00	12.00	8.63	10.75	10.75	SM	N	16	0.28	1.50	9.00	0.50	11.00	12.37	12.30	10.25	10.25	14
C-14128T1	14.00	12.00	8.63	12.75	10.75	SM	N	16	0.28	1.50	11.00	0.50	11.00	14.37	12.30	12.25	10.25	14
C-16128T1	16.00	12.00	8.63	14.75	10.75	LG	N	16	0.28	1.06	13.88	2.50	7.00	16.37	12.30	13	10.5	14
C-20168T1	20.00	16.00	8.63	18.75	14.75	LG	N	16	0.28	1.06	17.88	2.50	11.00	20.37	16.30	17	14.5	14
C-20208T1	20.00	20.00	8.63	18.75	18.75	LG	N	16	0.28	1.06	17.88	2.50	15.00	20.37	20.30	17	18.5	14
C-24208T1	24.00	20.00	8.63	22.75	18.75	LG	N	16	0.28	1.06	21.88	2.50	15.00	24.37	20.30	21	18.5	12
C-24248T1	24.00	24.00	8.63	22.75	22.75	LG	N	14	0.28	1.06	21.88	2.50	19.00	24.40	24.33	21	22.5	12
C-30248T1	30.00	24.00	8.63	28.75	22.75	LG	N	14	0.28	1.25	27.50	3.62	16.76	30.40	24.33	26	22.5	12
C-30308T1	30.00	30.00	8.63	28.75	28.75	LG	N	14	0.28	1.25	27.50	3.62	22.76	30.40	30.33	26	28.5	12
C-36248T1	36.00	24.00	8.63	34.75	22.75	LG	N	14	0.28	1.25	33.50	3.62	16.76	36.40	24.33	32	22.5	12
C-36308T1	36.00	30.00	8.63	34.75	28.75	LG	N	14	0.28	1.25	33.50	3.62	22.76	36.40	30.33	32	28.5	12
C-36368T1	36.00	36.00	8.63	34.75	34.75	LG	Y	14	0.44	1.06	33.88	3.62	28.76	36.40	36.33	33	33	12
C-42248T1	42.00	24.00	8.63	40.75	22.75	LG	N	14	0.28	1.25	39.50	3.62	16.76	42.40	24.33	38	22.5	12
C-42368T1	42.00	36.00	8.63	40.75	34.75	LG	Y	14	0.44	1.06	39.88	3.62	28.76	42.40	36.33	39	33	12
C-242010T1	24.00	20.00	10.63	22.75	18.75	LG	N	16	0.28	1.06	21.88	2.50	15.00	24.37	20.30	21	18.5	12
C-302410T1	30.00	24.00	10.63	28.75	22.75	LG	N	14	0.28	1.25	27.50	3.62	16.76	30.40	24.33	26	22.5	12
C-363010T1	36.00	30.00	10.63	34.75	28.75	LG	N	14	0.28	1.25	33.50	3.62	22.76	36.40	30.33	32	28.5	12
C-242412T1	24.00	24.00	12.63	22.75	22.75	LG	N	14	0.28	1.06	21.88	2.50	19.00	24.40	24.33	21	22.5	12
C-302412T1	30.00	24.00	12.63	28.75	22.75	LG	N	14	0.28	1.25	27.50	3.62	16.76	30.40	24.33	26	22.5	12
C-363012T1	36.00	30.00	12.63	34.75	28.75	LG	N	14	0.28	1.25	33.50	3.62	22.76	36.40	30.33	32	28.5	12
C-363612T1	36.00	36.00	12.63	34.75	34.75	LG	Y	14	0.44	1.06	33.88	3.62	28.76	36.40	36.33	33	33	12
C-423612T1	42.00	36.00	12.63	40.75	34.75	LG	Y	14	0.44	1.06	39.88	3.62	28.76	42.40	36.33	39	33	12